

	Type	Hits	Search Text	DBs	Time Stamp
1	IS&R	7	((("5642196") or ("5473432") or ("5610716") or ("5633712") or ("5646734") or ("5642196") or ("5731876") or ("5850287")).PN.	USPAT	2003/05/06 13:27
2	BRS	7	5473432.uref.	USPAT	2003/05/06 12:34
3	BRS	2053	measur\$3 near gap	USPAT	2003/05/15 15:06
4	BRS	862	(measur\$3 near gap) and light	USPAT	2003/05/06 09:38
5	BRS	453	((measur\$3 near gap) and light) and reflect\$3	USPAT	2003/05/15 13:42
6	BRS	81	((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT	2003/05/06 11:56
7	BRS	45	((measur\$3 near gap) and light) and subtract	USPAT	2003/05/06 11:57
8	BRS	41	((((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT	2003/05/06 12:26
9	BRS	16	4070116.uref.	USPAT	2003/05/06 12:26
10	BRS	2	5633712.uref.	USPAT	2003/05/06 12:32
11	BRS	4	5731876.uref.	USPAT	2003/05/06 12:35
12	BRS	0	5731876.uref. and subtract\$3	USPAT	2003/05/06 12:35
13	BRS	4308	measur\$3 near gap	USPAT; EPO; JPO; DERWENT	2003/05/06 12:37
14	BRS	3836	((measur\$3 near gap) not (((measur\$3 near gap) and light) and reflect\$3) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:38
15	BRS	4186	((measur\$3 near gap) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and light) and reflect\$3) and (slot or cavity))))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:39

	Type	Hits	Search Text	DBs	Time Stamp
16	BRS	248	((measure\$3 near gap) not (((((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measure\$3 near gap) and light) and subtract) or (((measure\$3 near gap) and light) and subtract) not (((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)))))) and subtract\$3	USPAT; EPO; JPO; DERWENT	2003/05/06 12:39
17	BRS	97	((((measure\$3 near gap) not (((((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measure\$3 near gap) and light) and subtract) or (((measure\$3 near gap) and light) and subtract) not (((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)))))) and subtract\$3) and reflect\$3	USPAT; EPO; JPO; DERWENT	2003/05/06 12:40
18	BRS	18	((((measure\$3 near gap) not (((((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measure\$3 near gap) and light) and subtract) or (((measure\$3 near gap) and light) and subtract) not (((measure\$3 near gap) and light) and reflect\$3) and (slot or cavity)))))) and subtract\$3) and reflect\$3) and micron\$1	USPAT; EPO; JPO; DERWENT	2003/05/06 12:47

	Type	Hits	Search Text	DBs	Time Stamp
19	BRS	79	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((((measur\$3 near gap) and light) and subtract) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))))) and subtract\$3) and reflect\$3) not (((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((((measur\$3 near gap) and light) and subtract) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))))) and subtract\$3) and reflect\$3) and micron\$1)	USPAT; EPO; JPO; DERWENT	2003/05/06 12:47
20	BRS	335	356/\$.ccls. and reflectometry	USPAT	2003/05/06 13:27
21	BRS	58	(356/\$.ccls. and reflectometry) and (measur\$3 near (gap or thickness))	USPAT	2003/05/06 16:14
22	BRS	866	356/630,632,635,626,625.ccls.	USPAT	2003/05/06 16:14
23	BRS	1099	250/559.24,559.26,559.27,559.4.ccls.	USPAT	2003/05/06 16:18
24	BRS	123	356/630,632,635,626,625.ccls. and 250/559.24,559.26,559.27,559.4.ccls.	USPAT	2003/05/06 16:19
25	BRS	1842	356/630,632,635,626,625.ccls. or 250/559.24,559.26,559.27,559.4.ccls.	USPAT	2003/05/06 16:24
26	BRS	890	(356/630,632,635,626,625.ccls. or 250/559.24,559.26,559.27,559.4.ccls.) and (thickness or gap)	USPAT	2003/05/06 16:24
27	BRS	168	((356/630,632,635,626,625.ccls. or 250/559.24,559.26,559.27,559.4.ccls.) and (thickness or gap)) and subtract\$3	USPAT	2003/05/06 16:25
28	BRS	107	cell adj gap same measurement	USPAT	2003/05/15 14:52
29	BRS	4339	measur\$3 near gap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:07

	Type	Hits	Search Text	DBs	Time Stamp
30	BRS	1264	(measur\$3 near gap) and light	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:08
31	BRS	369	((measur\$3 near gap) and light) and (slot or hole or recess)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:09
32	BRS	367	((measur\$3 near gap) and light) and (slot or hole or recess)) and (@ad<20011019	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:03
33	BRS	0	"20030035117"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:04
34	IS&R	0	("20030035117").PN.	USPAT	2003/05/16 11:03
35	IS&R	0	("*20030035117*").PN.	USPAT	2003/05/16 11:03
36	BRS	1	"20030035117"	US-PGPUB	2003/05/16 11:04